



Lighting

Lamps and fittings



Victory lighting manufactures a wide range of lighting, heating and UV products for many different sectors of industrial and domestic markets, literally covering the whole spectrum.

The company's roots lie in the lighting sector. Victory arose as a spinoff from Osram's UK manufacturing facility, making a variety of incandescent lamps for special contracts. Since then the company has embraced new technology to move on and develop today's high-tech product range.

Old shapes, new technology

The significant energy saving of LEDs means that naturally many of our lighting products use this technology, but to make sure that they fit existing fittings, they are shaped to conform to conventional shapes. This includes LED tubes that can be used in fluorescent fittings.

LED

The LED range comprises of retrofit lamps and T8 tubes. Spectacular savings in energy cost in commercial applications can be achieved.

Decorative

These popular lamp shapes are available with incandescent filaments or filament-shaped LEDs.

High bay

Energy-efficient LED lighting for large areas.

Research and development

Victory's R&D team is constantly developing new products and finding new applications for them. Products are extensively tested for performance and compliance at our R&D centre in the UK.

Victory Lighting is ISO 9001 accredited for its facilities both in the UK and in China. The company additionally operates under its own quality policy.

LED retrofit lamps

LED retrofit lamps can be used as a direct replacement for existing 12V or 240V halogen lamps. With energy use reduced by as much as 80%, they offer excellent Return On Investment. Victory GU10 and MR16 LEDs can be used as direct replacement for halogen lamps.

MR16 / GU5.3



GU10



LED range

Code	Volts	Watts	Colour temp. (K)	Colour	Cap	Beam	Lumens	Dimensions (mm)		
								D	L	
Reflector										
41120711	12	7	3000	Warm White	GU5.3	30°	449	50	55	
41240701	240	7	3000	Warm White	GU10	30°	475	50	58	

- High colour rendering index 80 Ra
- Full instant light
- Non-dimmable
- Long life - 30000 hours average rated life
- Energy efficient
- MR16 versions compatible for use with 12V AC transformers and DC drivers

ABV2

Expanding on the award-winning ABV-Series, the ABV2 LED luminaire is an exceptional mixture of value and performance. With improved efficacy, more options, and higher Lumens output, the ABV2 is ideal for high bay and low bay applications in industrial and commercial buildings.

- Modular design: 1, 2, and 3 modules
- Outstanding efficiency up to 129 lm/w
- Wide lumen package options up to 31.600lm
- Optics: 120°, 55°, 90°, 120° diffuse
- 1-10V Dimmable - can be used as non-dimming as well



ABV2 range

Code	Description	Wattage (w)	Lumens (lm)	CCT (k)	Optic	Dimension (mm)	weight (kg)	Modules
93059034	ABV21F48C1VSTNCE	82	10 280	4000	120° Clear	276*349*93	Max. 2,35	1
93059035	ABV21F58C1VSTNCE	82	10 550	5000	120° Clear	276*349*93	Max. 2,35	1
TBD	ABV21F48C5VSTNCE	82	10 140	4000	55° Clear	276*349*93	Max. 2,35	1
93059326	ABV21F58C5VSTNCE	82	10 400	5000	55° Clear	276*349*93	Max. 2,35	1
93069255	ABV21F48C9VSTNCE	82	10 140	4000	90° Clear	276*349*93	Max. 2,35	1
TBD	ABV21F58C9VSTNCE	82	10 400	5000	90° Clear	276*349*93	Max. 2,35	1
93064323	ABV21F48D1VSTNCE	82	9 750	4000	120° Diffused	276*349*93	Max. 2,35	1
TBD	ABV21F58D1VSTNCE	82	10 000	5000	120° Diffused	276*349*93	Max. 2,35	1
93065552	ABV22F48C1VSTNCE	164	20 560	4000	120° Clear	276*695*93	Max. 4,35	2
93059327	ABV22F58C1VSTNCE	164	21 100	5000	120° Clear	276*695*93	Max. 4,35	2
93069396	ABV22F48C5VSTNCE	164	20 280	4000	55° Clear	276*695*93	Max. 4,35	2
TBD	ABV22F58C5VSTNCE	164	20 800	5000	55° Clear	276*695*93	Max. 4,35	2
93067250	ABV22F48C9VSTNCE	164	20 280	4000	90° Clear	276*695*93	Max. 4,35	2
TBD	ABV22F58C9VSTNCE	164	20 800	5000	90° Clear	276*695*93	Max. 4,35	2
93059328	ABV22F48D1VSTNCE	164	19 500	4000	120° Diffused	276*695*93	Max. 4,35	2
TBD	ABV22F58D1VSTNCE	164	20 000	5000	120° Diffused	276*695*93	Max. 4,35	2
93068470	ABV23F48C1VSTNCE	246	30 840	4000	120° Clear	276*1038*93	Max. 6,35	3
93059033	ABV23F58C1VSTNCE	246	31 650	5000	120° Clear	276*1038*93	Max. 6,35	3
TBD	ABV23F48C5VSTNCE	246	30 420	4000	55° Clear	276*1038*93	Max. 6,35	3
TBD	ABV23F58C5VSTNCE	246	31 200	5000	55° Clear	276*1038*93	Max. 6,35	3
93065551	ABV23F48C9VSTNCE	246	30 420	4000	90° Clear	276*1038*93	Max. 6,35	3
TBD	ABV23F58C9VSTNCE	246	31 200	5000	90° Clear	276*1038*93	Max. 6,35	3
TBD	ABV23F48D1VSTNCE	246	29 250	4000	120° Diffused	276*1038*93	Max. 6,35	3
TBD	ABV23F58D1VSTNCE	246	30 000	5000	120° Diffused	276*1038*93	Max. 6,35	3

Decorative

Victory's decorative lightbulbs are based on antique bulb shapes to create a retro lighting effect. They emit a warm, feel-good, glow that works equally as well at home as in commercial situations such as restaurants and bars. They are available with conventional filaments, or energy-saving LEDs configured in filament shapes. For an extra warm look, some LED versions are available with a gold finish on the glass.



G125



ST64 - Pear



A60 - Classic



T45 - Tube




G95 - Globe

Decorative range

Code	Type	Finish	Watts	Cap	Dimensions (mm)	
					D	L
LED						
45240420	G95	Clear	4	E27/ES	95	140
45240430	G95	Clear	4	B22/BC	95	140
45240421	G95	Gold	4	E27/ES	95	140
45240431	G95	Gold	4	B22/BC	95	140
45240422	G125	Clear	4	E27/ES	125	170
45240432	G125	Clear	4	B22/BC	125	170
45240423	G125	Gold	4	E27/ES	125	170
45240433	G125	Gold	4	B22/BC	125	170
46240420	ST64	Clear	4	E27/ES	64	140
46240430	ST64	Clear	4	B22/BC	64	140
46240421	ST64	Gold	4	E27/ES	64	140
46240431	ST64	Gold	4	B22/BC	64	140
44240420	A60	Gold	4	E27/ES	60	100
44240430	A60	Gold	4	B22/BC	60	100
43240340	C35	Clear	3	E14/SES	35	102
42240221	T45	Clear	2	E27/ES	45	111
42240231	T45	Clear	2	B22/BC	45	111

Code	Type	Finish	Watts	Cap	Dimensions (mm)	
					D	L
Filament						
90246016	ST64	Clear	60	E27/ES	64	140
90246017	ST64	Clear	60	B22/BC	64	140
90244014	ST64	Clear	40	E27/ES	64	140
90244015	ST64	Clear	40	B22/BC	64	140
90244073	ST64	Gold	40	E27/ES	64	140
90244074	ST64	Gold	40	B22/BC	64	140
90244018	G125	Clear	40	E27/ES	125	170
90244019	G125	Clear	40	B22/BC	125	170
90244020	G95	Clear	40	E27/ES	95	140
90244021	G95	Clear	40	B22/BC	95	140
90244013	R80	Clear	40	E27/ES	80	130
90244022	R80	Clear	40	B22/BC	80	130



Voltage: 240V
Colour temp.: 2700-3000K

Dimmable: LED: No / Filament: Yes
Life: LED: 20,000 hours / Filament: 1,000 hours

VICTORY

Victory Lighting (UK) Ltd
Unit 3, Eastman Way, Hemel Hempstead, Hertfordshire HP2 7DU
www.victorylighting.co.uk | e sales@victorylighting.co.uk | t +44 (0)1442 215200

© Victory Lighting (UK) Ltd 2016
The information contained in this literature is for general information purposes only. Victory Lighting (UK) Ltd endeavours to keep the information up to date and correct, but makes no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, suitability or availability with respect to the information, products, services, or related graphics contained in this literature.

Victory Lighting (UK) Ltd accepts no liability for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this literature.

Distributed by